

Should Clinicians Use Chloroquine or Hydroxychloroquine Alone or In Combination With Azithromycin for the Prophylaxis or Treatment of COVID-19? (2020)

ACP says evidence does not support the use of chloroquine or hydroxychloroquine alone or in combination with azithromycin as prophylaxis for COVID-19 or for treatment of patients with COVID-19. The ACP Practice Points also state that physicians, in light of known harms and very uncertain evidence of benefit, may choose to treat the hospitalized COVID-19 positive patients with chloroquine or hydroxychloroquine alone or in combination with azithromycin in the context of a clinical trial using shared and informed decision-making with patients and their families.

Published online May 13, 2020 *Annals of Intern Medicine* full text:

<https://www.acpjournals.org/doi/10.7326/M20-1998>

Published online June 17, 2020 Update Alert: *Annals of Intern Medicine* full text:

<https://www.acpjournals.org/doi/10.7326/M20-3862>

Published online July 21, 2020 Special Article: *Annals of Intern Medicine* full text:

<https://www.acpjournals.org/doi/10.7326/M20-1998>

Published online July 30, 2020 Update Alert 2: Retired from Living Status *Annals of Intern Medicine* full text: <https://www.acpjournals.org/doi/10.7326/L20-1007>